

Art Approval Form

Job # ---
 PO # ---
 Proof # ---

■ Bleed
 ■ Outline

FRONT

POSTCARD

PLACE
 STAMP
 HERE


TO: _____

FROM: _____

BACK

Actual Imprint / Decal Size
 Guidelines Will Not Print

IMPRINT COLORS



ITEM	IMPRINT TYPE
POST CARD	4CP

Art Guidelines

- Positive Imprint - 6 pt Minimum Sample
- Negative Imprint - 8 pt Minimum **Sample**
- Serif & Italic Types - 10 pt Minimum Sample *Sample*
- Line Weight, Positive Lines - .5 pt Minimum _____
- Line Weight, Negative Lines - .75 pt Minimum **_____**
- Registered or Trademark Symbols - 8 pt Width Minimum **®** **™**

Ornate and display type faces will be printed on a case-by-case bases.

Registration marks and trademarks will be enlarged to ensure minimal size when printed.

Color & Size Variance

- This PDF file is being viewed on an RGB monitor therefore there will be a variance between the color on your screen and the color of the actual finished product.
- All PMS Colors are printed CMYK and are matched as close as possible.
- This proof should be used to inspect the layout, spelling, grammar, color selection and color appearance of your order.
- Colors printed on different mediums (ie: caps/leash and label) will not be an exact match.
- This proof is not an exact match of the finished product color or quality of the printed piece.



1" WIDE

Note: Fax transmission may cause distortion


Art Approval Form

Job # -----

PO # -----

Proof # -----

- Bleed
- Outline
- - - Inner Bleed



IMPRINT COLORS



ITEM

LB102

IMPRINT TYPE

METALLIC DECAL

Art Guidelines

- Positive Imprint - 6 pt Minimum Sample
- Negative Imprint - 8 pt Minimum Sample
- Serif & Italic Types - 10 pt Minimum Sample Sample
- Line Weight, Positive Lines - .5 pt Minimum
- Line Weight, Negative Lines - .75 pt Minimum
- Registered or Trademark Symbols - 8 pt Width Minimum

Ornate and display type faces will be printed on a case-by-case bases.

Registration marks and trademarks will be enlarged to ensure minimal size when printed.

Color & Size Variance

- This PDF file is being viewed on an RGB monitor therefore there will be a variance between the color on your screen and the color of the actual finished product.
- All PMS Colors are printed CMYK and are matched as close as possible.
- This proof should be used to inspect the layout, spelling, grammar, color selection and color appearance of your order.
- Colors printed on different mediums (ie: caps/leash and label) will not be an exact match.
- This proof is not an exact match of the finished product color or quality of the printed piece.




1" WIDE

Note: Fax transmission may cause distortion

Art Approval Form

Job # -----
 PO # -----
 Proof # -----

■ Bleed
 ■ Cutline



Actual Imprint / Decal Size
 Guidelines Will Not Print

ITEM

IMPRINT TYPE

BOM104

WHITE DECAL

IMPRINT COLORS



Art Guidelines

- Positive Imprint - 6 pt Minimum Sample
- Negative Imprint - 8 pt Minimum **Sample**
- Serif & Italic Types - 10 pt Minimum Sample *Sample*
- Line Weight, Positive Lines - .5 pt Minimum _____
- Line Weight, Negative Lines - .75 pt Minimum **_____**
- Registered or Trademark Symbols - 8 pt Width Minimum **®**
™

Ornate and display type faces will be printed on a case-by-case bases.

Registration marks and trademarks will be enlarged to ensure minimal size when printed.

Color & Size Variance



1" WIDE

Note: Fax transmission may cause distortion

- This PDF file is being viewed on an RGB monitor therefore there will be a variance between the color on your screen and the color of the actual finished product.
- All PMS Colors are printed CMYK and are matched as close as possible.
- This proof should be used to inspect the layout, spelling, grammer, color selection and color appearance of your order.
- Colors printed on different mediums (ie: caps/leash and label) will not be an exact match.
- This proof is not an exact match of the finished product color or quality of the printed piece.

NEW!

SPREAD THE WORD, GET MORE ORDERS!

CHECK YES IF FAXED: YES NO THANKS

IF EMAILING REPLY WITH "GET MORE" IN YOUR APPROVAL PLEASE SPECIFY IF YOU WOULD LIKE OTHER INFORMATION ADDED

A NEW PROOF WILL NOT BE SENT AFTER THIS ADDITION


ANTIBACTERIAL HAND SANITIZER:Ingredients: Aloe Hand Sanitizer, Ethyl Alcohol 62%, Water to 100%, Aloe Vera Gel 1%, Carbomer 1%,Triethanolamine 2%. **Warning:** For external use only. Keep out of reach of children. Ingestion may cause alcohol poisoning. If ingested contact your physician or pediatrician or your local poison control center.
 Distributed By: **Sample Promos Unlimited**

ANTIBACTERIAL HAND SANITIZER:Ingredients: Aloe Hand Sanitizer, Ethyl Alcohol 62%, Water to 100%, Aloe Vera Gel 1%, Carbomer 1%,Triethanolamine 2%. **Warning:** For external use only. Keep out of reach of children. Ingestion may cause alcohol poisoning. If ingested contact your physician or pediatrician or your local poison control center.

Distributed By: Sample Promo Company

Art Approval Form

Job # -----
 PO # -----
 Proof # -----




ITEM

TK101-GOLF

IMPRINT TYPE

DIRECT PRINT

IMPRINT COLORS



Art Guidelines

- Positive Imprint - 6 pt Minimum Sample
- Negative Imprint - 8 pt Minimum **Sample**
- Serif & Italic Types - 10 pt Minimum Sample *Sample*
- Line Weight, Positive Lines - .5 pt Minimum _____
- Line Weight, Negative Lines - .75 pt Minimum **_____**
- Registered or Trademark Symbols - 8 pt Width Minimum **®**
™

Ornate and display type faces will be printed on a case-by-case bases.

Registration marks and trademarks will be enlarged to ensure minimal size when printed.

Color & Size Variance

- This PDF file is being viewed on an RGB monitor therefore there will be a variance between the color on your screen and the color of the actual finished product.
- All PMS Colors are printed CMYK and are matched as close as possible.
- This proof should be used to inspect the layout, spelling, grammar, color selection and color appearance of your order.
- Colors printed on different mediums (ie: caps/leash and label) will not be an exact match.
- This proof is not an exact match of the finished product color or quality of the printed piece.




1" WIDE

Note: Fax transmission may cause distortion

Art Approval Form


Job # -----
 PO # -----
 Proof # -----

- Bleed
- Outline
- - Inner Bleed



IMPRINT COLORS

■ Bleed



ITEM

MF113

IMPRINT TYPE

4CP

Art Guidelines

- Positive Imprint - 6 pt Minimum Sample
- Negative Imprint - 8 pt Minimum Sample
- Serif & Italic Types - 10 pt Minimum Sample Sample
- Line Weight, Positive Lines - .5 pt Minimum
- Line Weight, Negative Lines - .75 pt Minimum
- Registered or Trademark Symbols - 8 pt Width Minimum

Ornate and display type faces will be printed on a case-by-case bases.

Registration marks and trademarks will be enlarged to ensure minimal size when printed.

Color & Size Variance

- This PDF file is being viewed on an RGB monitor therefore there will be a variance between the color on your screen and the color of the actual finished product.
- All PMS Colors are printed CMYK and are matched as close as possible.
- This proof should be used to inspect the layout, spelling, grammer, color selection and color appearance of your order.
- Colors printed on different mediums (ie: caps/leash and label) will not be an exact match.
- This proof is not an exact match of the finished product color or quality of the printed piece.



1" WIDE

Note: Fax transmission may cause distortion

Art Approval Form

Job # -----

PO # -----

Proof # -----



■ Imprint area
■ Cutline

IMPRINT COLORS

ITEM

PLT02

IMPRINT TYPE

DIRECT PRINT



Art Guidelines

- Positive Imprint - 6 pt Minimum Sample
- Negative Imprint - 8 pt Minimum **Sample**
- Serif & Italic Types - 10 pt Minimum Sample *Sample*
- Line Weight, Positive Lines - .5 pt Minimum _____
- Line Weight, Negative Lines - .75 pt Minimum **_____**
- Registered or Trademark Symbols - 8 pt Width Minimum **®**
™

Ornate and display type faces will be printed on a case-by-case bases.

Registration marks and trademarks will be enlarged to ensure minimal size when printed.

Color & Size Variance

- This PDF file is being viewed on an RGB monitor therefore there will be a variance between the color on your screen and the color of the actual finished product.
- All PMS Colors are printed CMYK and are matched as close as possible.
- This proof should be used to inspect the layout, spelling, grammar, color selection and color appearance of your order.
- Colors printed on different mediums (ie: caps/leash and label) will not be an exact match.
- This proof is not an exact match of the finished product color or quality of the printed piece.




1" WIDE

Note: Fax transmission may cause distortion

Art Approval Form

Job # -----
 PO # -----
 Proof # -----



Actual Imprint / Decal Size
 Guidelines Will Not Print


ITEM

SG307

IMPRINT TYPE

DIRECT PRINT

IMPRINT COLORS



Art Guidelines

- Positive Imprint - 6 pt Minimum Sample
- Negative Imprint - 8 pt Minimum **Sample**
- Serif & Italic Types - 10 pt Minimum Sample *Sample*
- Line Weight, Positive Lines - .5 pt Minimum _____
- Line Weight, Negative Lines - .75 pt Minimum **_____**
- Registered or Trademark Symbols - 8 pt Width Minimum **®**
TM

Ornate and display type faces will be printed on a case-by-case bases.

Registration marks and trade-marks will be enlarged to ensure minimal size when printed.

Color & Size Variance

- This PDF file is being viewed on an RGB monitor therefore there will be a variance between the color on your screen and the color of the actual finished product.
- All PMS Colors are printed CMYK and are matched as close as possible.
- This proof should be used to inspect the layout, spelling, grammer, color selection and color appearance of your order.
- Colors printed on different mediums (ie: caps/leash and label) will not be an exact match.
- This proof is not an exact match of the finished product color or quality of the printed piece.



1" WIDE

Note: Fax transmission may cause distortion